

How Can Natural Language Processing Support Emergency Management?

NLP for Classification of Tweets During Crisis-Events

Karen Garcia Mesa
Department of Computer Science
Stanford University
karengar@stanford.edu

Elin Lovisa Byman
Department of Computer Science
Stanford University
byman@stanford.edu

Matan Lomdan
Department of Computer Science
Stanford University
mlomdan@stanford.edu

Abstract

Social media has become an increasingly important source of information for emergency services during disasters. In this project, we analyze and compare the effectiveness of three state of the art deep learning models for detecting informativeness of disaster-related tweets in real time. We used the CrisisLexT26 dataset which comprises of 250,000 tweets regarding 12 disaster types from a total of 26 different crisis-events which occurred in 2012 and 2013.

Our findings have shown that generalized detection models work better when being trained on all type of crisis compared to the specialized models. The best architecture (XLNet) achieved a AUC between 0.86 and 0.94, showcasing its potential as a useful tool for future emergency response efforts.

Keywords: Natural Language Processing, Crisis Management, Tweet Classification

1 Introduction

Collecting and analyzing data quickly is of utmost importance during crisis situations such as natural disasters and human conflicts. Social media has become an increasingly important source of information, often outpacing traditional media outlets. However, a key challenge in analyzing disaster-related information on social media is recognizing which posts could be relevant for relief efforts. In this project, we propose analyzing crises through the lens of twitter, and building a classifier which will select posts containing relevant information for disaster-management (1; 2). Specifically, we will address the following questions:

- A Model effectiveness in real-time disasters of the same type: How well can a model trained on one type of disaster (i.e floods, shootings, etc.) perform on similar events of the same type? What amount of data will be needed to train a successful event-specific network?
- B Model effectiveness in real-time disasters of different types: Can information be transferred between different types of disasters. That is, can a model trained on data pertaining to certain types of disasters perform well on tweets relating to a new disaster?

The input to our model is thus the text from a tweet, and the output states whether the tweet is informative or not. We are evaluating three different architectures, LSTM with Word2Vec embedding, BERT and XLNet, to find the highest performing model.

2 Related work

Detection and classification of disaster related tweets has been studied in a number of publications, using a lot of different approaches. The approaches can, as suggested in (1), be divided into three main categories: rules and keywords based approached, machine learning models based on feature engineering and neural networks.

The rules and keywords based approaches uses a dictionary of keywords to classify tweets, based on some predefined rules. Abel et al. (3) suggest such an approach, but increasing performance by continuously improving the information filtering to the current context. Olteanu et al. (4) investigates how to find the best keywords to use in such an approach, and suggests a lexicon of keywords called CrisisLex, specifically designed to have a high performance on classifying crisis tweets. Since the lexicon is designed to work well on crisis tweets, this is the lexicon we have used in our baseline approach.

As described by Habdank et al. (5), many different machine learning algorithms can be used together with hand engineered features, e.g. Naïve Bayes, Decision Trees, Random Forests or Support Vector Machines. They also show that Random Forests outperforms Support Vector Machines on the Ludwigshafen incident dataset.

Even though the machine learning algorithms with feature engineering often performs well, they are often outperformed by recent neural networks (1). Both Nguyen et al. (6) as well as Burel and Alani (7) uses a convolutional neural network with Word2Vec embeddings for tweet classification. Even though Word2Vec is a widely used word embedding method, other word embeddings has showed better performance lately. Two such methods are the BERT model and the XLNet model (8).

Since the machine learning algorithms with feature engineering most often are outperformed by neural networks, we have decided to focus on three neural network approaches, namely LSTM with Word2Vec, BERT and XLNet.

3 Dataset and Features

The raw data consists of more than 28,000 tweets in a multitude of languages related to 26 different crises (9). All of the crises occurred in 2012 or 2013 and includes, for example, the Boston bombings, Australian wildfires and LA Airport shootings. The data is classified by crowdsource workers as "Related and Informative", "Related - but not informative", "Not related" and "Not applicable". Since the goal of this project is to build a classifier which will select posts containing relevant information for disaster management, the data was relabeled as "Informative" or "Not Informative", where "Informative" included the "Related and Informative" tweets and "Not Informative" included tweets with all other labels.

The dataset was preprocessed by

- translating all non-English tweets,
- changing all letters to lowercase,
- replacing all URLs with <url>, hashtags with <hashtag> and user mentions with <user>,
- replacing emojis and emoticons with the text they represent and
- removing all duplicated tweets.

Table 1 shows a few examples of the data.

4 Methods

Traditionally, encoder-decoder architectures and attention model architectures was often used within Natural Language Processing (NLP). While traditional attention models does perform well consider-

Table 1: Examples of the data.

Original Tweet	Processed Tweet	Original Label	Informativeness
Welcome to our newest STUDENTathlete- Reagan Biechler from Colorado Springs (CO) '13-Baseball. http://t.co/lzeiYmpq	welcome to our newest studentathlete- reagan biechler from colorado springs (co) '13-baseball. <url>	Not related	Not informative
#Media Large wildfire in N. Colorado prompts evacuations: Crews are battling a fast-moving wildf... http://t.co/ju1BGTKH #Politics #News	<hashtag> large wildfire in n. colorado prompts evacuations: crews are battling a fast-moving wildf... <url> <hashtag> <hashtag>	Related and informative	Informative
It is doing some raining #onthefarm!!! LORD send of this to put out the fires in Colorado. #Thruthe flames safety!!! #BelovedofGOD	it is doing some raining <hashtag>!!! lord send of this to put out the fires in colorado. <hashtag> safety!!! <hashtag>	Related - but not informative	Not Informative

ing the hard task of NLP, they did reach a limit where the performance did not improve by adding more training data or more training time. Due to this a new approach, using pre-trained embeddings, became more widely used within NLP and is still an important part of state-of-the-art NLP architectures (10). There exists a lot of different pre-trained embeddings, where the main differences between different encoders is whether the embeddings are contextual or not, which pre-training task that has been used, and the architecture of the pre-training model (8).

In this project three deep learning architectures are implemented and compared. The architectures are LSTM classifier trained with Word2Vec, BERT and XLNet. As a baseline approach filtering by characteristics was used. Since the task is a binary classification task, the loss function used for each of the methods is the binary cross entropy. Our solutions was implemented using a number of libraries for Python (11; 12; 13; 14; 15; 16; 17; 18).

4.1 Baseline

As mentioned, filtering by characteristics was used as a baseline approach. The filtering by characteristics classifies the tweets by searching for tweets with specific hashtags, keywords or location (2). If the tweet contains at least one keyword from a list of words it is classified as informative, otherwise it is classified as not informative. Appendix A contains a full list of keywords, but some examples of keywords are victims, bombing, massive, storm and rescue.

4.2 LSTM with Word2Vec

Word2Vec is a common non-contextual word embedding. When first created in 2012, Word2Vec achieved state-of-the-art performance. The benefits on Word2Vec compared to word embeddings used before Word2Vec was the fact that it was a simpler method which decreased the computational complexity of the model and allowed for training on a larger dataset. Word2Vec uses two different architectures, one continuous Bag-of-Words model and one continuous Skip-gram model, where the choice of model can be seen as a hyperparameter for the Word2Vec embedding (19).

The LSTM based model implemented is composed of the main LSTM layer, followed by a drop-out layer and a dense layer with a Relu activation function and ending with a Softmax classification layer.

4.3 BERT

Even though Word2Vec achieved state-of-the-art performance when it was first created, a lot of other word embeddings has outperformed Word2Vec since then. One such model is the Bidirectional Encoder Representations from Transformers (BERT) model. The BERT model is a bidirectional method which means that it takes advantage of words both before and after the current word in the embedding. The pre-training task used to train the BERT model is to predict masked words (20).

In our implementation of the BERT model we used the pre-trained BERT encoding layer, followed by a drop-out layer and a dense layer with a sigmoid activation function (21).

Table 2: Split of data for scenario 1.

Crisis Type	Crisis	Number of tweets	Data
Earthquakes	Bohol earthquake	1000	Train/Validation
	Costa Rica earthquake	1412	Train/Validation
	Guatemala earthquake	1050	Train/Validation
	Italy earthquakes	1000	Test
Floods	Alberta floods	1001	Train/Validation
	Colorado floods	1000	Train/Validation
	Manila floods	1000	Train/Validation
	Philippines floods	1000	Train/Validation
	Queensland floods	1200	Test
	Sardinia floods	1000	Test
Derailments	Lac-Megantic train crash	1001	Train/Validation
	NYC train crash	1000	Train/Validation
	Spain train crash	1000	Test

4.4 XLNet

BERT is still widely used within NLP, but it has some limitations. One model which aims to overcome the limitations of the BERT model is XLNet. It does so by combining the bidirectional approach which BERT also utilizes with an autoregressive training which allows for training without masking any words, and thus avoid to remove the context the masked words provides (1; 22).

Similar to the BERT implementation, the XLNet-based model is composed of a XLNet main block followed by a dropout layer for regularization and a classification layer with a sigmoid activation function.

5 Experiments/Results/Discussion

5.1 Experiments

In the first scenario, the goal is to test the effectiveness of the models by only training on data from the same type of disaster, see Section 1. More specifically, each model will be trained and validated on a specific disaster type and then tested on another crisis of the same type. Table 2 shows how the data was split for scenario 1. The training and validation data was split randomly with 85% of the examples belonging to the training set and the remaining 15% belonging to the validation set.

The second scenario aims to test the performance of the models in the transfer of information between disasters. In this case the models were trained using 22 293 tweets belonging to 22 different disasters and tested on the remaining 4 disasters. The same test sets as i scenario 1 was used, but the training set was not divided into different crisis types. Instead the data was used all together, and also included other crisis types besides derailments, earthquakes and floods. As for scenario 1 the training and validation set was split randomly, with 85% in the training set and 15% in the validation set.

For each model and each of the scenarios the hyperparameters were decided by first doing a literature search to find what hyperparameters had worked best for similar models before. Based on these values a range for each hyperparameter was set from which the hyperparameters were randomly sampled. The sampled hyperparameters was used to test the model performance. This was done multiple times and the results on the validation set were compared to find the best hyperparameters for each model.

5.2 Results

Table 5.3 shows the results for each of the models. The best model for each crisis type based on the AUC is highlighted in bold. The left half shows the results of scenario 1, the best model trained on tweets from only one crisis type. The AUC scores of these specialized models range from 0.82 on earthquakes to 0.93 on floods.

The right half of Table 5.3 shows the results of scenario 2, models trained on data from all crisis types. On this dataset the generic model works better on earthquakes and derailments, while the more specialized model trained on only one disaster type work better for floods.

Table 3: AUC, accuracy, precision, recall and F1-score of all models. The precision, recall and F1-scores are reported separately for the two classes, Informative (I) and Not Informative (NI).

Crisis Type	Scenario 1									Scenario 2								
	Model	AUC	Accuracy	F1-score		Precision		Recall		Model	AUC	Accuracy	F1-score		Precision		Recall	
				I	NI	I	NI	I	NI				I	NI	I	NI	I	NI
Earthquakes	Baseline	-	0.55	0.53	0.57	0.76	0.44	0.40	0.79	Baseline	-	0.55	0.53	0.57	0.76	0.44	0.40	0.79
	Word2Vec	0.53	0.53	0.60	0.44	0.65	0.40	0.55	0.50	Word2Vec	0.51	0.48	0.62	0.31	0.61	0.33	0.64	0.30
	BERT	0.65	0.71	0.79	0.53	0.72	0.68	0.88	0.43	BERT	0.76	0.75	0.79	0.70	0.85	0.64	0.74	0.78
	XLNet	0.82	0.64	0.62	0.66	0.92	0.51	0.47	0.93	XLNet	0.86	0.80	0.83	0.74	0.86	0.71	0.81	0.78
Floods	Baseline	-	0.65	0.68	0.61	0.78	0.53	0.60	0.72	Baseline	-	0.65	0.68	0.61	0.78	0.53	0.60	0.72
	Word2Vec	0.64	0.62	0.73	0.44	0.67	0.53	0.80	0.37	Word2Vec	0.59	0.60	0.67	0.46	0.66	0.47	0.68	0.45
	BERT	0.74	0.73	0.76	0.68	0.83	0.62	0.71	0.77	BERT	0.75	0.76	0.79	0.70	0.83	0.66	0.76	0.75
	XLNet	0.93	0.90	0.93	0.78	0.90	0.86	0.96	0.71	XLNet	0.92	0.84	0.86	0.81	0.93	0.73	0.80	0.90
Derailments	Baseline	-	0.52	0.60	0.38	0.75	0.29	0.50	0.55	Baseline	-	0.52	0.60	0.38	0.75	0.29	0.50	0.55
	Word2Vec	0.72	0.48	0.83	0.20	0.72	0.16	0.97	0.10	Word2Vec	0.53	0.50	0.64	0.35	0.74	0.28	0.56	0.47
	BERT	0.61	0.76	0.85	0.40	0.78	0.59	0.92	0.31	BERT	0.66	0.77	0.85	0.51	0.81	0.59	0.89	0.44
	XLNet	0.90	0.83	0.85	0.79	0.90	0.73	0.81	0.86	XLNet	0.94	0.86	0.90	0.77	0.94	0.70	0.86	0.86

When comparing the model results to the filtering baseline it is noticeable that our model perform a lot better than the baseline. Our best performing models has an accuracy ranging between 0.64 and 0.90, while the baseline has an accuracy between 0.52 and 0.65. The F1-score is also a lot better with the suggested model compared to the baseline model, since the baseline model has a F1-score between 0.38 and 0.68 while the suggested model has a F1-score between 0.62 and 0.93.

5.3 Discussion

From the results it is clear that the fine-tuned XLNet performs the best for all types of crisis and both scenarios. This is not surprising since XLNet was created with the goal of reducing the shortcomings of BERT, which in turn is a more modern embedding model than Word2Vec, see Section 4.

The improvement of performance in scenario 2 compared to scenario 1 for earthquakes and derailments suggests that it was beneficial to add more training data for these types of crises, even though the additional data did not belong to the same type of crisis. This was however not true for the floods. One possible explanation for this is that the dataset contains more data related to floods, than data related to either earthquakes or derailments, see Table 2. Adding data from other types of crises was thus important for crisis types where the availability of data was low, but instead hurt performance for crisis types with more available data.

6 Conclusion/Future Work

We used a benchmark corpus of human-curated tweets related to 26 disasters, grouped into 12 crisis types, the CrisisLexT26. With this data we compared 13 models over 4,200 tweets and classified each tweet as informative or not informative. The classifiers was a mixture of generalized and specialized models. The best generic model achieve an AUC between 0.86 and 0.94 and a F1-score between 0.80 and 0.86. The generic model trained on all disasters perform slightly better in terms of AUC, accuracy, and F1-score than the specialized models.

A fine-tuned implementation of XLNet achieved accuracy of about 0.9 in classifying disaster-related tweets, outperforming other models, and potentially serving as a useful tool for relief efforts.

One aspect to further improve upon is to extend the dataset in order to create a larger and more representative dataset. Since the specialized classifier with the most training data was the only classifier that performed better than the generic classifier, this could potentially improve the specialized classifiers beyond the generic classifier.

7 Contributions

The contributions to this project was the following:

Karen Garcia Mesa: Preprocessing, Baseline, XLNet

Elin Lovisa Byman: Translation, BERT

Matan Lamdan: Data statistics, LSTM with Word2Vec

References

- [1] M. Wiegmann, J. Kersten, F. Klan, M. Potthast, and B. Stein, "Analysis of detection models for disaster-related tweets," in *ISCRAM 2020*, A. L. Hughes, F. McNeill, and C. Zobel, Eds., May 2020, pp. 872–880. [Online]. Available: <https://elib.dlr.de/137213/>
- [2] A. Kruspe, J. Kersten, and F. Klan, "Review article: Detection of actionable tweets in crisis events," *Natural Hazards and Earth System Sciences*, vol. 21, no. 6, pp. 1825–1845, 2021. [Online]. Available: <https://nhess.copernicus.org/articles/21/1825/2021/>
- [3] F. Abel, C. Hauff, G.-J. Houben, R. Stronkman, and K. Tao, "Twitcident: fighting fire with information from social web streams," in *Proceedings of the 21st international conference on world wide web*, 2012, pp. 305–308.
- [4] A. Olteanu, C. Castillo, F. Diaz, and S. Vieweg, "Crisislex: A lexicon for collecting and filtering microblogged communications in crises," in *Eighth international AAAI conference on weblogs and social media*, 2014.
- [5] M. Habdank, N. Rodehutsors, and R. Koch, "Relevancy assessment of tweets using supervised learning techniques: Mining emergency related tweets for automated relevancy classification," in *2017 4th International Conference on Information and Communication Technologies for Disaster Management (ICT-DM)*, 2017, pp. 1–8.
- [6] D. T. Nguyen, K. A. Al Mannai, S. Joty, H. Sajjad, M. Imran, and P. Mitra, "Robust classification of crisis-related data on social networks using convolutional neural networks," in *Eleventh international AAAI conference on web and social media*, 2017.
- [7] G. Burel and H. Alani, "Crisis event extraction service (crees)-automatic detection and classification of crisis-related content on social media," 2018.
- [8] X. Qiu, T. Sun, Y. Xu, Y. Shao, N. Dai, and X. Huang, "Pre-trained models for natural language processing: A survey," *Science China Technological Sciences*, vol. 63, p. 1872–1897, 2020. [Online]. Available: <https://link.springer.com/article/10.1007/s11431-020-1647-3>
- [9] A. Olteanu, S. Vieweg, and C. Castillo, "What to expect when the unexpected happens: Social media communications across crises," in *Proceedings of the 18th ACM Conference on Computer Supported Cooperative Work & Social Computing*, ser. CSCW '15. New York, NY, USA: Association for Computing Machinery, 2015, p. 994–1009. [Online]. Available: <https://doi.org/10.1145/2675133.2675242>
- [10] J. K. Tripathy, S. C. Sethuraman, M. V. Cruz, A. Namburu, M. P., N. K. R., S. I. S, and V. Vijayakumar, "Comprehensive analysis of embeddings and pre-training in nlp," *Computer Science Review*, vol. 42, p. 100433, 2021. [Online]. Available: <https://www.sciencedirect.com/science/article/pii/S1574013721000733>
- [11] C. R. Harris, K. J. Millman, S. J. van der Walt, R. Gommers, P. Virtanen, D. Cournapeau, E. Wieser, J. Taylor, S. Berg, N. J. Smith, R. Kern, M. Picus, S. Hoyer, M. H. van Kerkwijk, M. Brett, A. Haldane, J. Fernández del Río, M. Wiebe, P. Peterson, P. Gérard-Marchant, K. Sheppard, T. Reddy, W. Weckesser, H. Abbasi, C. Gohlke, and T. E. Oliphant, "Array programming with NumPy," *Nature*, vol. 585, p. 357–362, 2020.
- [12] W. McKinney *et al.*, "Data structures for statistical computing in python," in *Proceedings of the 9th Python in Science Conference*, vol. 445. Austin, TX, 2010, pp. 51–56.
- [13] M. Abadi, P. Barham, J. Chen, Z. Chen, A. Davis, J. Dean, M. Devin, S. Ghemawat, G. Irving, M. Isard *et al.*, "Tensorflow: A system for large-scale machine learning," in *12th {USENIX} Symposium on Operating Systems Design and Implementation ({OSDI} 16)*, 2016, pp. 265–283.
- [14] F. Chollet *et al.* (2015) Keras. [Online]. Available: <https://github.com/fchollet/keras>
- [15] F. Pedregosa, G. Varoquaux, A. Gramfort, V. Michel, B. Thirion, O. Grisel, M. Blondel, P. Prettenhofer, R. Weiss, V. Dubourg *et al.*, "Scikit-learn: Machine learning in python," *Journal of machine learning research*, vol. 12, no. Oct, pp. 2825–2830, 2011.

- [16] T. Kim and K. Wurster. (2014) Emoji for python. [Online]. Available: <https://github.com/carpedm20/emoji/>
- [17] M. M. Danilak. (2014) Langdetect. [Online]. Available: <https://github.com/fedelopez77/langdetect>
- [18] LuShan. (2020) Google translate new. [Online]. Available: https://github.com/lushan88a/google_trans_new
- [19] T. Mikolov, K. Chen, G. Corrado, and J. Dean, “Efficient estimation of word representations in vector space,” *arXiv preprint arXiv:1301.3781*, 2013.
- [20] J. Devlin, M.-W. Chang, K. Lee, and K. Toutanova, “Bert: Pre-training of deep bidirectional transformers for language understanding,” *arXiv preprint arXiv:1810.04805*, 2018.
- [21] S. Sonu, *BERT Model - NLP with disaster tweets*, Dublin, Ireland, 2022 [Online]. [Online]. Available: <https://www.kaggle.com/code/sanketsonu/bert-model-nlp-with-disaster-tweets/>
- [22] Z. Yang, Z. Dai, Y. Yang, J. Carbonell, R. R. Salakhutdinov, and Q. V. Le, “Xlnet: Generalized autoregressive pretraining for language understanding,” *Advances in neural information processing systems*, vol. 32, 2019.

A Keywords used for filtering in baseline approach

flood crisis	evacuated	tragedy	help tornado
victims	relief	enforcement	explosion fire
flood victims	flood death	people injured	ravaged
flood powerful	deaths confirmed	twister	prayers tonight
powerful storms	affected flooding	blast	tragic
hoisted flood	people killed	crisis deepens	enforcement official
storms amazing	dozens	injuries reported	saddened
explosion	footage	fatalities	dealing hurricane
amazing rescue	survivor finds	donated million	impacted
rescue women	worsens eastern	donations assist	flood recovery
flood cost	flood worsens	dead explosion	stream
counts flood	flood damage	survivor	dead torrential
toll rises	people dead	death	flood years
braces river	girl died	suspect dead	nursing
river peaks	flood	peaks deaths	recover
crisis deepens	donation help	love prayers	responders
prayers	major flood	explosion fertiliser	massive tornado
thoughts prayers	rubble	explosion reported	buried alive
affected tornado	another explosion	return home	alive rubble
affected	confirmed dead	evacuees	crisis rises
death toll	rescue	large explosion	flood peak
tornado relief	send prayers	firefighters	homes inundated
photos flood	flood warnings	morning flood	flood ravaged
water rises	tornado survivor	praying	explosion video
toll	damage	public safety	killed injured
flood waters	devastating	txting redcross	killed people
flood appeal	flood toll	destroyed	people died
victims explosion	affected hurricane	displaced	missing explosion
bombing suspect	prayers families	fertilizer explosion	make donation
massive explosion	releases photos	unknown number	floods kill
affected areas	hundreds injured	donate tornado	tornado damage
praying victims	inundated	retweet donate	entire crowd
injured	crisis	flood tornado	cross tornado
please join	text donation	casualties	terrifying
join praying	redcross give	climate change	need terrifying
prayers people	recede	financial donations	even scary
redcross	bombing	stay strong	cost deaths
text redcross	massive	dead hundreds	facing flood
visiting flood	bombing victims	major explosion	deadly explosion
lurches fire	explosion ripped	bodies recovered	dead missing
video explosion	gets donated	waters recede	floods force
deepens death	donated victims	response disasters	flood disaster
opposed flood	relief efforts	victims donate	tornado disaster
help flood	news flood	unaccounted	medical examiner
died explosions	flood emergency	fire fighters	help victims
marathon explosions	give online	explosion victims	hundreds homes
flood relief	fire flood	prayers city	severe flooding
donate	huge explosion	accepting financial	shocking video
first responders	bushfire	torrential	bombing witnesses
flood affected	torrential rains	bomber	magnitude
donate cross	residents	disasters txting	firefighters police
braces	breaking news	explosion registered	fire explosion
tornado victims	redcross donate	missing flood	storm
deadly	affected explosion	volunteers	flood hits
prayers affected	disaster	brought hurricane	floodwaters
explosions running	someone captured	relief fund	emergency

flash flood	remember lives	rescuers help	buried
flood alerts	tornado flood	free hotline	heart prayers
crisis unfolds	want help	hotline help	flood levy
daring rescue	seconds bombing	please stay	watch hurricane
tragic events	reported dead	investigation	victims lost
medical office	imminent	saddened loss	soldier
deadly tornado	rebuild	identified suspect	waiting hurricane
people trapped	safe hurricane	bombings saddened	run massive
police officer	surviving	killed police	high river
explosion voted	injuries	dead	terror
lives hurricane	prayers victims	praying community	memorial service
bombings reports	police suspect	registered magnitude	terror attack
breaking suspect	warning	leave town	coast hurricane
bombing investigation	help affected	reported explosion	terrified hurricane
praying affected	kills forces	heart praying	aftermath
reels surging	dead floods	life heart	suspect killed
surging floods	flood threat	prepare hurricane	suspect pinned
teenager floods	military	landfall	lost legs
rescue teenager	flood situation	crisis worsens	hurricane category
appeal launched	thousands homes	arrest	names terrified
explosion injured	risk running	bombing case	authorities
injured explosion	dead injured	suspect run	assist people
responders killed	dying hurricane	communities damaged	hurricane black
explosion caught	loss life	destruction	unknown soldier
city tornado	thoughts victims	levy	events
help text	bombing shot	tornado	safety
name hurricane	breaking enforcement	hurricane coming	troops
damaged hurricane	police people	toxins flood	disaster relief
breaking arrest	video capturing	release toxins	cleanup
suspect bombing	feared dead	toxins	troops lend
massive manhunt	terrible explosion	supplies waters	effected hurricane
releases images	prayers involved	crisis found	time hurricane
shot killed	reported injured	braces major	saying hurricane
rains severely	seismic	government negligent	praying families
house flood	victims waters	attack	dramatic
live coverage	flood homeowners	hurricane	path hurricane
devastating tornado	flood claims	rebuilt communities	
lost lives	homeowners reconnect	help rebuilt	
reportedly dead	reconnect power	rebuilt	
following explosion	power supplies	rescuers	